

OBEX

PROTECTING YOUR SUCCESS

PROTECTION IN ONE PLACE

Specialists in innovative solutions
for sealing and protecting



FIRE RATED
SEALING SYSTEM

EPDM
MEMBRANE
SYSTEM


SPEEDSTER

LIQUID PEELEABLE
PROTECTION

ULTIMATE
SURFACE
PROTECTION

OTHER
PRODUCTS

➤ WWW.OBEXUK.COM ➤ WWW.OBEXAU.COM ➤ WWW.OBEXEU.COM



WE SPECIALISE IN SUPPLYING INNOVATIVE SOLUTIONS FOR SEALING OR PROTECTING FACADES AND COMMERCIAL GLAZING



A LIFETIME OF INNOVATION

Obex Protection specialises in manufacturing, converting and distributing surface protection films, adhesive tapes, EPDM membranes and other associated products to manufacturers, fabricators, installers, resellers and contractors. We're a family-run business with over 25 years of experience in the industry. Here at Obex, we apply ourselves to detail, offering a product quality that's second to none with a service to match. We are ISO 9001 accredited.

A COMPANY WITH VISION

As global leaders in glazing and façade sealing technology, we are constantly developing innovative methods to bring the best solutions to the market. We are known for our excellent service levels and we understand the requirements which are needed in this fast-paced market and therefore offer next-day delivery on orders placed up to 3pm.

WHY OUR CLIENTS CHOOSE OBEX

- 
 BEST VALUE GUARANTEED
- 
 EXTENSIVE PRODUCT DEVELOPMENT
- 
 EXCEPTIONAL CUSTOMER SERVICE
- 
 SUPERIOR PRODUCT KNOWLEDGE
- 
 EXCLUSIVE OBEX BRANDS

FIRE RATED SEALING SYSTEM	06
EPDM MEMBRANE SYSTEM	12
SPEEDSTER	32
LIQUID PEELABLE PROTECTION	38
ULTIMATE SURFACE PROTECTION	42
OTHER PRODUCTS	60

WHY NOT CONTACT OUR SALES TEAM AND REQUEST A QUOTATION?



CORTEX® CORTEX®
EPDM membrane system Fire Rated Sealing System

CORTEX MEMBRANE SYSTEMS ARE BBA APPROVED

REQUEST YOUR COPY TODAY





THE BBA CERTIFICATION

The Cortex Fire Rated Sealing System and Cortex EPDM Membrane System cover every sealing scenario against water and air ingress in façades and commercial glazing scenarios. Both the Cortex Fire Rated Sealing System and Cortex EPDM Membrane System are BBA certified for weathertightness, air barrier continuity, resistance to damage and durability.

REQUEST A COPY OF YOUR BBA CERTIFICATE TODAY SEE BACK COVER FOR CONTACT DETAILS

We are the only company in the UK whose membrane systems are BBA approved, from one of the UK's most highly regarded construction industry approval bodies. Thanks to the quality of the Obex Protection Cortex Fire Rated Sealing System and Cortex EPDM Membrane System, the BBA has certified the entire membrane system for:

- » **Weathertightness** – the system will resist the passage of wind-driven rain, snow, run-off water and dust into the interior of the building
- » **Air barrier continuity** – the system will contribute to maintaining air barrier continuity at lintels, jambs and sills
- » **Resistance to damage** – the system is suitably robust so as not to be damaged during installation
- » **Durability** – the system will continue to function for the lifetime of the frame around which it is installed



GET YOUR CERTIFICATE NOW!

Tests carried out by the BBA indicate the system will continue to function for the lifetime of the frame around which they are installed. The BBA put all parts of the Cortex Fire Rated Sealing System and Cortex EPDM Membrane System through vigorous tests, onsite evaluations, inspections of production and compliance with relevant building regulations.

Here at Obex Protection, we are proud to say that we are the only company which has this prestigious certificate, to give you peace of mind and reassurance that you are in the best hands when purchasing a product from the Cortex Fire Rated Sealing System and Cortex EPDM Membrane System.



INTRODUCING THE UK'S FIRST FIRE RATED SEALING SYSTEM



OBEX
PROTECTING YOUR SUCCESS

CORTEX[®]
Fire Rated Sealing System

As part of our ongoing quest to challenge the status quo with revolutionary solutions for the façade market, Obex is proud to launch the UK's first Fire Rated Sealing System. The Cortex Fire Rated Sealing System covers every sealing scenario against water and air ingress in façades and commercial glazing where the highest levels of fire resistance are necessary.

- » The UK's first Fire Rated Sealing System
- » A core range designed for multiple project requirements
- » Already being installed in major projects around the UK
- » Full technical specification and samples available

CORTEX[®]
Fire Rated Sealing System

Non-Combustible Vapour Barrier Membrane

CORTEX[®]
Fire Rated Sealing System

Cortex 0200FR is a non-combustible, flexible membrane used for sealing interfaces to provide an airtight and weathertight seal on construction projects.

- » It has a textured surface on both faces to ensure maximum bond strength is achieved
- » Cortex 0200FR achieves class A2, s1-d0 (EN 13501-1), and is highly UV resistant, watertight and airtight

CODE	WIDTHS	ROLL LENGTH
0200FR	50mm-1500mm	20m

Vapour Barrier Membrane

CORTEX[®]
Fire Rated Sealing System

Cortex 0500FR is a flame-retardant, flexible membrane used for sealing interfaces to provide an airtight and weathertight seal on construction projects.

- » It has a textured surface on both faces to ensure maximum bond strength is achieved
- » Cortex 0500FR achieves class B-s3-d0 (EN 13501-1) and is highly UV resistant, watertight and airtight

CODE	WIDTHS	ROLL LENGTH
0500FR	50-1500mm	20m

Fire Rated Paste Adhesive

CORTEX[®]
Fire Rated Sealing System

Cortex 0771FR Paste Adhesive is a high-quality, elastic, one-component paste adhesive for bonding Cortex Fire Rated Membranes.

- » The adhesive is easy to apply, colourfast and UV resistant
- » Permanent elastic after curing and achieves an incredible bond to most common building substrates
- » Cortex 0771FR achieves class B-s1-d0 (EN 13501-1)

CODE	BOX QUANTITY
0771FR	12




CORTEX
Fire Rated Sealing System

Cortex Fire Rated Pre-Moulded Corner

Cortex 0901FR External Pre-moulded Corner provides a 100% weathertight seal with easy application for difficult corner details.

- » Easy to cut down to suit your window projections

CODE	BOX QUANTITY
0901FR	40
0902FR	40



CORTEX
Fire Rated Sealing System

Cortex 0787 Non-Flammable Primer

Ready to use non-flammable primer for chemically preparing porous substrates prior to bonding Cortex Paste Adhesive.

CODE	SIZE	PACK QUANTITY
0787	4Ltr	1



Non-Combustible Breather Membrane

Designed to meet the highest levels of fire protection, Non-Combustible Breather Membrane can withstand the harshest of weather conditions whilst achieving class A2 (EN 13501-1).

CODE	WIDTH	ROLL LENGTH
Cortex Non-Combustible Breather Membrane	1500mm	50m

CORTEX
Fire Rated Sealing System




Cortex UV Façade Tape

Cortex UV Façade Tape is a Black single-sided acrylic tape with a high UV resistance and excellent bonding properties. Our tape was specially developed for sealing breather membrane overlaps, penetrations and joints.

- » Bonds well to PE foil and HDPE/PP/PE fleeces
- » High heat/wrinkle resistant
- » Guarantees an airtight seal
- » Application should be on a clean dry surface

CODE	WIDTHS	ROLL LENGTH
Cortex UV Façade Tape	50-1500mm	25m

CORTEX
Fire Rated Sealing System




CORTEX
Fire Rated Sealing System

Double-Sided Acrylic Tape

Cortex Double-Sided Acrylic Tape has a high ageing resistance and excellent bonding properties with a high-performance adhesive for indoor and outdoor use. Developed for joining Cortex Non-Combustible Breather Membrane.

- » Application should be on a clean, dry surface
- » Significant improvements to the durability & reliability
- » Acrylic dispersion adhesive system ensures the sealing bond is maintained

CODE	WIDTHS	ROLL LENGTH
Double-Sided Acrylic Tape	50-1500mm	100m





CASE STUDY
ROYAL COLLEGE OF SURGEONS, LONDON

We have supplied Non-Combustible Breather Membrane and UV Facade Tape to the redevelopment of the Royal College of Surgeons historic London building. This redevelopment creates a modern and light facility, providing the best education, examination and research resources for the nation's surgeons to be.

Location

Holborn, London

Products Installed

Non-Combustible Breather Membrane & Cortex UV Facade Tape



CASE STUDY
THE SILK DISTRICT, WHITECHAPEL


The Silk District in Whitechapel will include 413 three-bedroom apartments. Obex is supplying our Cortex Fire Rated Sealing System - Cortex 0771FR Paste Adhesive and Cortex 0560FR Fire Rated Adhesive Backed Membrane.

Location

Whitechapel, London

Products Installed

Cortex 0771FR Paste Adhesive & Cortex 0560FR Fire Rated Adhesive Backed Membrane



The Cortex EPDM System: covering every sealing scenario



CORTEX[®]
EPDM membrane system

The Cortex EPDM Membrane System developed by Obex covers every sealing scenario against water and air ingress for façades. Our entire EPDM Membrane System is BBA certified for weathertightness, air barrier continuity, resistance to damage and durability.

Our extensive EPDM Membrane System is BBA approved!

The BBA has certified the entire EPDM system for:

- _____ Weathertightness
- _____ Air barrier continuity
- _____ Resistance to damage
- _____ Durability

CORTEX[®] EPDM membrane system



Cortex EPDM Membrane

Cortex EPDM Membrane provides a weathertight seal to the exterior side of the connecting joint between a window or façade screen and the adjacent structure (e.g. concrete wall, steel frame, etc.), or to provide an internal airtight seal in similar details.

The material has a textured surface on both sides to ensure maximum bond strength is achieved. Cortex EPDM Membrane does not contain any solvents which could later migrate into adjacent surfaces. The product has a long expected service life and is environmentally friendly.



CODE	DESCRIPTION	THICKNESS	WIDTHS	ROLL LENGTH
0500	Cortex 0.50mm EPDM Membrane	0.5mm	50-1500mm	20m
0600	Cortex 0.60mm EPDM Membrane	0.6mm	50-1500mm	20m
0750	Cortex 0.75mm EPDM Membrane	0.75mm	50-1500mm	20m
1000	Cortex 1.0mm EPDM Membrane	1.00mm	50-1500mm	20m
1200	Cortex 1.2mm EPDM Membrane	1.2mm	50-1500mm	20m
1500	Cortex 1.5mm EPDM Membrane	1.5mm	50-1500mm	20m



CASE STUDY
**VICTORIA SQUARE,
WOKING**

Victoria Square is set to transform Woking town centre. It will include three new high-storey towers which will become two residential complexes and a flagship Hilton hotel, with completion expected by early 2021. We are supplying our Cortex 0860 Fully Adhesive Backed EPDM Membrane, giving our customers a super quick and easy application time compared to traditional methods.

Location

Woking, GU21 6DG

Products Installed

Cortex 0860 Fully Adhesive Backed EPDM Membrane



CORTEX®
EPDM membrane system

Cortex 0860 Fully Adhesive Backed EPDM Membrane

Cortex 0860 is a fully adhesive-backed EPDM with a high bond. The membrane will adhere to most common substrates. Porous surfaces may need to be primed using Cortex 0785 primer. Using Cortex 0860 will give you a quicker application time compared to traditional methods as we can now split the release liner to any width you require plus adding gaskets where needed. Can be applied in temperatures as low as -10°C.

ADD-ONS
OR SPLIT
RELEASE
LINER
AVAILABLE



EXCELLENT UV
RESISTANCE



QUICKER
APPLICATION




VERY STRONG
BOND ADHESION



Options for the Cortex 0860 Fully Adhesive Backed EPDM Membrane



Fully Adhesive Strip



Opposite Sides



Gasket Strip



Split Release Liner

CODE	DESCRIPTION	THICKNESS	WIDTHS	ROLL LENGTH
0860	Cortex 0860 Fully Adhesive Backed EPDM Membrane	0.75mm	50-500mm	20m
0860	Add-ons or Split Release Liner	0.75mm	50-500mm	20m



CASE STUDY
WEMBLEY PARK,
LONDON

We worked alongside our client who secured the package at NW06 Alto apartments. The Cortex 0761 EPDM Membrane c/w Gasket was used on this project, a clean, easy and fully waterproof way to EPDM the Reynaers System SW.

Location

Wembley Park, London

Products Installed

Supplied Cortex EPDM Membrane with Gasket



Cortex Gasket Carrier

Cortex 0802 is an extruded aluminium profile unique to Obex. It has a high bond adhesive backing for ease of fixing. The Cortex 0802 takes Cortex 0761 EPDM Membrane with Gasket.

CODE	LENGTH
0802	3m



Cortex Right Angled Gasket Carrier

Cortex 0815 Extruded Aluminium Right-Angled Gasket Carrier is a time-saving option. Right-angled for easy applications and incorporates a groove along the extrusion for ease of mechanical fixing.

CODE	LENGTH
0815	3m




CORTEX®

EPDM membrane system

EPDM Membrane with Gasket

Cortex EPDM Membrane with Gasket has an extruded strip along one edge to allow the membrane to be clipped into a groove on the profile or a separate extruded carrier – Cortex 0802 or 0815.

This product has a long-expected service life and is environmentally friendly. Cortex EPDM Membrane with Gasket is typically used in wet weather or low-temperature situations as it eliminates the need for adhesive to bond the EPDM to the frame. It also offers huge time-saving opportunities when applying EPDM onsite or in factories.



CODE	DESCRIPTION	THICKNESS	WIDTHS	ROLL LENGTH
0761	Cortex EPDM c/w Gasket	0.75mm	50-1500mm	20m
0762	Cortex EPDM c/w Gasket	0.75mm	50-1500mm	20m
0763	Cortex EPDM c/w Gasket	0.75mm	50-1500mm	20m
0764	Cortex EPDM c/w Gasket	0.75mm	50-1500mm	20m
0768	Cortex EPDM c/w Gasket	0.75mm	50-1500mm	20m



CORTEX®

EPDM membrane system

EPDM Membrane with Butyl Strip

Cortex EPDM Membrane with Butyl Strip enables the membrane to be directly bonded to aluminium frame without the need of an adhesive. The Butyl Strip option offers a huge time-saving opportunity when applying EPDM onsite or in factories.

What are the benefits?

- » Simple, quick and clean application
- » Accurate, linear measurement of material
- » Significant time and cost saving
- » Airtight - aids compliance with building regulations
- » Weatherproof – watertight seal
- » Excellent UV resistance
- » Strong, long-term adhesion to a wide variety of substrates
- » Non-hardening, remains flexible throughout its service life - estimated at 50 years



CORTEX®

EPDM membrane system

Cortex Paste Adhesive

- » Cortex Paste is a one-part adhesive for horizontal and vertical bonding of Cortex EPDM Membranes
- » It is suitable for bonding the Cortex Membrane to most common substrates including metal, wood, aluminium, light concrete, PVC and Glass
- » Ideal for in-factory bonding of Cortex Membrane to aluminium frames with the use of a termination strip
- » Substrates must be clean, dry and free from oil and grease
- » The bond will provide excellent resistance to ageing and temperature changes, and is waterproof
- » When completely cured, the bonding assembly resists temperatures up to 80°C



Options for the Membrane with Butyl Strip



0751



0752



0753

CODE	DESCRIPTION	THICKNESS	WIDTHS	ROLL LENGTH
0751	Cortex EPDM c/w 1 Butyl Strip	0.75mm	50-1500mm	20m
0752	Cortex EPDM c/w 2 Butyl Strips Same Edge	0.75mm	50-1500mm	20m
0753	Cortex EPDM c/w 2 Butyl Strips Opposite Edge	0.75mm	50-1500mm	20m

Options for the Cortex Paste Adhesive



0765



0766



0767

CODE	DESCRIPTION	SIZE	PACK/BOX QUANTITY
0765	More Viscous	600ml	12
0766	Less Viscous	600ml	12
0767	Moisture Curing	600ml	12



CASE STUDY
BRUNEL STREET WORKS

Brunel Street Works is set in East London and will deliver 975 homes along with four new public spaces for residents and the local community. These stunning apartments will be part of a vibrant, mixed-use urban quarter, and close by you'll find shops, restaurants, schools, gyms and a large park. We're proud to be supplying our Cortex EPDM Membrane System to this impressive project.

Location

Brunel Street Works, Canning Town

Products Installed

Cortex EPDM Membrane System



Cortex Contact Adhesive

Cortex 0775 is a ready to use contact adhesive for bonding the Cortex EPDM Membranes to a wide variety of substrates including metal, concrete, EPDM Membranes and wood. Porous surfaces may need to be primed using Cortex 0785 Primer. The Cortex 0775 Contact Adhesive should be applied with the application brush or roller.

CODE	DESCRIPTION	SIZE	PACK/BOX QUANTITY
0775	Cortex Contact Adhesive	5Ltr	1



Cortex Primer

Cortex 0785 is a ready to use primer for chemically preparing porous surfaces prior to bonding with Cortex Paste or Contact Adhesive.

CODE	SIZE	PACK/BOX QUANTITY
0785	4Ltr	1



Cortex Spray Primer

Cortex 0786 is a ready to use primer in a spray canister for easy of application.

CODE	SIZE	PACK/BOX QUANTITY
0786	500ml	1



Cortex Non-Flammable Primer

Cortex 0787 is a ready to use non-flammable primer for chemically preparing porous substrates prior to bonding Cortex Paste or Contact Adhesive.

CODE	SIZE	PACK/BOX QUANTITY
0787	4Ltr	1



CORTEX[®]
EPDM membrane system

Pre-Moulded EPDM Corner

The Cortex 0901, 0901-300mm and 0902 Pre-Moulded EPDM Corners provide a 100% weathertight seal with easy application for difficult corner details.

What are the benefits?

- » Saves time and money
- » Can be moulded to any shape to fit your needs
- » No joints around the corners



100% WEATHER-TIGHT SEAL



QUICKER APPLICATION

Pre-Moulded EPDM Corners



CODE	DESCRIPTION	SIZE	PACK/BOX QUANTITY
0901	External EPDM Corner	100mm	40
0902	Internal EPDM Corner	100mm	40
0901-300mm	External EPDM Corner	300mm	40



CASE STUDY
CANARY WHARF,
LONDON

We moulded our EPDM to the details supplied from our customers to fit the balcony brackets, providing a 100% weathertight seal. Our 1-Piece EPDM sleeves cut the installation time when compared to using the EPDM membrane to seal around the balcony brackets.

Location

Canary Wharf, London

Products Installed

1-Piece Pre-Moulded EPDM Sleeves



CORTEX®
EPDM membrane system

EPDM 1-Piece Sleeves

EPDM 1-Piece Sleeves are a 5mm thick EPDM sleeve to slip over balcony brackets, air ventilation ducts and other bespoke applications. We can mould our EPDM to any shape required (within the parameters of tooling) to assist our clients further.

What are the benefits?

- » Time saving
- » Creates a weathertight seal
- » Can be moulded to any shape to fit your needs
- » No joints around the corners



WATERTIGHT SEAL



MOULD TO ANY SHAPE



NO JOINTS AROUND THE CORNERS

Application instructions for Pre-Moulded EPDM Sleeves



1 Porous surfaces may need to be primed using Cortex 0785 Primer.



2 Apply Cortex 0767 Paste Adhesive.



3 Ensure all surfaces covered by the sleeve have the paste applied.



4 Spread the paste adhesive paying attention in the corners.




5 Slide the EPDM sleeve over the bracket as shown.




6 Use a roller to fuse the EPDM sleeve with all areas.



7 Seal all edges of the EPDM sleeve.



8 To seal the edges, use Cortex 0767 Paste Adhesive.



CORTEX® EPDM membrane system

EPDM Installer Starter Kit

Cortex Installer Starter Kit includes the tools needed to prepare and install the Cortex EPDM Membrane System smoothly and correctly.

This kit includes:

- » 1 x 0803 Cortex Silicone 50mm EPDM Roller
- » 1 x 0804 EPDM Cutting Shears
- » 1 x 0809 Paste Adhesive Spreader
- » 1 x 0813 Paste Gun

What are the benefits?

- » Easy to use and install
- » Quick application
- » Easy to handle

CODE	PACK/BOX QUANTITY
Installer Starter Kit	1

HIGH-PERFORMANCE ADHESIVE SYSTEM



CORTEX® EPDM membrane system

Cortex Board Jointing Tape

Cortex 0814 Board Jointing Tape has a high-performance adhesive system which ensures excellent tack values and adheres well to non-polar and low energy surfaces. Used for sealing joints in various building boards. The unique adhesive properties make Cortex 0814 suitable for bonding and covering of overlaps for various surfaces like cement particle board and calcium silicate board.

CODE	WIDTHS
0814	50-1500mm

HIGH PERFORMANCE ADHESIVE GUN



Cortex Paste Adhesive Gun

The Cortex 0813 Paste Gun is a high-performance paste adhesive gun with aluminium nuts, a rotary aluminium barrel, a special hardened catch plate and double-sided bearings for smooth running function. The gun has 12:1 ratio and includes one nozzle for use with 600ml Cortex Paste Adhesive Sausages.

What are the benefits?

- » Double-sided bearings
- » Rotary aluminium barrel
- » Aluminium nuts

CODE	PACK/BOX QUANTITY
0813	1



Cortex Cleaning Wash

Cortex 0795 is a solvent-based cleaning wash for preparing surfaces prior to bonding or priming. 0795 can also be used for cleaning EPDM application tools.

CODE	SIZE	PACK/BOX QUANTITY
0795	5Ltr	1



Cortex Contact Adhesive Application Roller

Cortex 0808 Contact Adhesive Application Roller – Easy use contact adhesive roller c/w sleeve.

CODE	PACK/BOX QUANTITY
0808	1



Cortex 50mm EPDM Silicone EPDM Roller

Cortex 0803 50mm Silicone EPDM Roller – Professional silicone seam roller c/w standard single fork and wooden handle.

CODE	PACK/BOX QUANTITY
0803	1



Cortex 100mm EPDM Silicone EPDM Roller

Cortex 0811 100mm Silicone EPDM Roller - Professional silicone seam roller c/w standard double fork and wooden handle.

CODE	PACK/BOX QUANTITY
0811	1



Cortex Termination Bar

Cortex 0801 Termination Bar is a flat rigid bar used when mechanically fixing the EPDM back to the frame.

CODE	PACK/BOX QUANTITY
0801	25



Cortex Spare Nozzles for Sausage Gun

Cortex 0807 Spare Nozzles for Sausage Gun – A set of spare nozzles for standard/premium grade paste adhesive guns.

CODE	PACK/BOX QUANTITY
0807	1



Cortex Paste Adhesive Spreader

Cortex 0809 Paste Adhesive Spreader – Metal blade paste adhesive spreader.

CODE	PACK/BOX QUANTITY
0809	1



Cortex Contact Adhesive Application Roller Brush

Cortex 0810 Contact Adhesive Application Brush – Wooden handled application brush for applying 0775 Contact Adhesive.

CODE	PACK/BOX QUANTITY
0810	5



Cortex EPDM Cutting Shears

Cortex 0804 EPDM Cutting Shears – Comfortable 12” shears to cut our Cortex EPDM Membrane.

CODE	PACK/BOX QUANTITY
0804	1

For more information about our product range, or for a FREE sample pack, call our team now. See back cover for contact details



OBEX CONTRACTING



CASE STUDY PARKSIDE, COVENTRY

Parkside will include 502 high-quality cluster bedrooms within three towers which will reach 3, 13 and 19 storeys high. Obex Contracting are supplying and fitting our Cortex EPDM Membrane System using our Cortex 0860 Fully Adhesive Backed EPDM Membrane for a quicker and easier application.

Location

Parkside, Coventry

Products Installed

Obex Contracting – Cortex EPDM Membrane System

We are the only supply and fit EPDM contracting provider in the UK

To assist our clients further, Obex offers supply and fit of our Cortex EPDM Membrane System. We are the only supply and fit EPDM contracting provider in the UK. With fully qualified installers you can enjoy a hassle-free experience when you are asked to supply and install EPDM on your projects.

All our installers are fully trained and have all the certifications/qualifications needed. Obex Protection Ltd is ISO 9001 registered. You can be assured that you are not only using a quality product, but quality installation.

Also, depending on the size of your project and your timescale, we can offer as many installers as you need to assist you and complete your requirement. We will work in partnership with you to make sure the job is completed to the highest standard.

WE ARE PASSIONATE ABOUT OUR RANGE AND RENOWNED AS LEADERS IN OUR FIELD

TOP REASONS TO CHOOSE OBEX

- » We are proud to use BBA approved innovative products
- » Cost management which removes the risk of extra costs
- » Regular site visits and reports on project progress
- » We work efficiently to reduce downtime and maintain continuity and flow of installation



WHY NOT CONTACT OUR SALES TEAM AND REQUEST A QUOTATION?

MACHINE PRECISION PROFILE PROTECTION IN THE PALM OF YOUR HAND



SPEEDSTER
RAPID PROFILE PROTECTION

SPEEDSTER
RAPID PROFILE PROTECTION

50mm and 100mm Speedster Applicator Gun

Developed for the Aluminium Profile industry, the Speedster has been manufactured for maximum performance. Its unique design offers optimum application speed with a clean-cut finish.

SPEEDSTER BENEFITS...

- ≡ Makes profile protection a cost-effective reality
- ≡ Applies tape to profiles in less than half the time of hand applications
- ≡ Tape is applied 100% straight every time with no wrinkles or bubbles
- ≡ Ergonomic design ensures comfortable operation
- ≡ Inbuilt blade - cuts tape at a push of a button

Increase hand
application by
up to 70%



Speedster 0253 Protection Film

Speedster 0253 is a low tack polypropylene UV stabilised protection film with a natural rubber adhesive system. Ideal for the protection of highly structured paint surfaces including textured paint finishes. Speedster 0253 has a high UV resistance and is suitable for up to 6 months of outdoor exposure.

CODE	MICRON	WIDTHS	ROLL LENGTH
Speedster 0253	80	10-100mm	150m



Speedster 0254 Protection Film

Speedster 0254 is a low tack protection tape with higher tack rubber adhesive system. Ideal for the protection of many surfaces including powder-coated aluminium, stainless steel, sheet metal, PVC and many more. Speedster 0254 has an extremely high UV resistance and is suitable for up to 12 months of outdoor exposure.

CODE	MICRON	WIDTHS	ROLL LENGTH
Speedster 0254	80	10-100mm	150m



≡
STYLISH AND
STURDY STORAGE
SPEEDSTER CASE

≡
DESIGNED TO TAKE
ANY WIDTH TAPE
FROM 10MM TO
100MM

≡
PRECISION BLADE
ENSURES EFFECTIVE
FILM CUTS EVERY
TIME

≡
RELIABLE
ALIGNMENT WITH
PROFILE ENSURES
RAPID FILM
DELIVERY
IMPROVING OUTPUT

Speedster 0257 Protection Film

Speedster 0257 is a low tack protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces including powder-coated aluminium, sheet metal, PVC and many other medium to high gloss surfaces. Speedster 0257 is suitable for up to 6 months of outdoor exposure.

CODE	MICRON	WIDTHS	ROLL LENGTH
Speedster 0257	40	10-100mm	150m



Speedster 0247 Protection Film

Speedster 0247 is a low tack protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces including powder-coated aluminium, sheet metal, PVC and many other medium to high gloss surfaces. Speedster 0247 is suitable for up to 6 months of outdoor exposure.

CODE	MICRON	WIDTHS	ROLL LENGTH
Speedster 0247	80	10-100mm	150m



Speedster 0245 Protection Film

Speedster 0245 is a low tack protection film for the protection of sensitive surfaces. Ideal for the protection of many surfaces including powder-coated aluminium, stainless steel, sheet metal, PVC and many more. Speedster 0245 is suitable for up to 6 months of outdoor exposure.


CODE	MICRON	WIDTHS	ROLL LENGTH
Speedster 0245	50	10-100mm	150m



Speedster 0255 Protection Film

Speedster 0255 is a low tack protection film with a solvent-based acrylic adhesive system. Ideal for the protection of highly structured paint surfaces including granite or givree textured paint finishes.

CODE	MICRON	WIDTHS	ROLL LENGTH
Speedster 0255	50	10-100mm	150m



Speedster 0259 Protection Film

Speedster 0259 is a low tack protection film for the protection of sensitive surfaces. Ideal for the protection of many surfaces including powder-coated aluminium, stainless steel, sheet metal, PVC and many more. Speedster 0259 is suitable for up to 6 months of outdoor exposure.

CODE	MICRON	WIDTHS	ROLL LENGTH
Speedster 0259	70	10-100mm	150m



Speedster 0248 Protection Film

Speedster 0248 is a low tack protection tape with a higher tack natural rubber adhesive system. Ideal for the protection of many surfaces including powder-coated aluminium, stainless steel, sheet metal, PVC and many more.

CODE	MICRON	WIDTHS	ROLL LENGTH
Speedster 0248	80	10-100mm	150m



Speedster 0256 Protection Film

Speedster 0256 is a low tack protection film with a natural rubber adhesive system. Ideal for the protection of many surfaces including powder-coated aluminium, stainless steel, PVC and many more.

CODE	MICRON	WIDTHS	ROLL LENGTH
Speedster 0256	100	10-100mm	100m



Speedster 0258 Protection Film

Speedster 0258 is recommended for the protection of sensitive surfaces against dirt and damage during processing, storage and transportation. Protects the surface against the degradations caused by dirt, the scratches and the signs of utensils during the complete cycle of its usage.

CODE	MICRON	WIDTHS	ROLL LENGTH
Speedster 0258	120	10-100mm	100m





Introducing Cortex Liquid Peelable Protection, perfectly suited to protect.

ONE
PRODUCT
MULTIPLE
SURFACES



CORTEX®
Liquid Peelable Protection

Unveiling an industry first: Cortex Liquid Peelable Protection, a revolutionary new roll-on or spray-on protective coating. The Cortex Liquid Peelable Protection forms a durable protective skin to protect expensive glazing systems, eliminating the costly process of replacing damaged glazing.

One product to cover all surfaces...



Perfectly suited to protect glass

Liquid Peelable Protection forms a durable protective skin to protect expensive glazing systems, eliminating the costly process of replacing damaged glazing.

Perfectly suited to protect gaskets

Its unique formula not only protects precious glazing systems but the same coating can cover rubber gaskets and frames systems, with the same high level of protection. No other solution on the market offers such unique qualities.

Perfectly suited to protect frames

For even greater efficiency, the specially developed formula is designed to be removed in one piece, eliminating the frustration of picking away at broken surface residue.


How Liquid Peelable Protection works...




Cortex Liquid Peelable Protection protects glass, gaskets and frames all in one. Easily applied by roller...



...or spray to suit all environments, delivering optimum cost effectiveness and on-site efficiency.



The durable coating forms a protective coating, guarding against on-site dust and debris for up to 3 years.



Easily removed in one single piece without tears or rips, and reduces to create minimal waste.



CASE STUDY
KINGS CROSS,
LONDON

Keeping the frames, gasket and glass protected for the duration of the project saves clients money on remedial works and touch ups of the frames. Our customer chose to spray the Cortex Liquid Peelable Protection application, delivering optimum cost effectiveness and on-site efficiency.

Application Type

Spray application

Products Installed

Cortex Liquid Peelable Protection



CASE STUDY
OAKLANDS HOUSE,
OLD OAK COMMON

Obex is supplying our Liquid Peelable Protection to protect the glass, gasket and frames to the windows on this project. Oaklands is a new development which will provide 605 new homes - with 1, 2 and 3 bedroom apartments over 7 blocks.

Application Type

Roll application

Products Installed

Cortex Liquid Peelable Protection






CORTEX[®]

Ultimate surface protection

Cortex temporary surface protection films are available for every type of finished surface. With over 25 films in the range, Obex will have a film to suit your application. Ideally suited for the protection of finished goods whilst in storage, transit or waiting to be commissioned or signed off.



CORTEX®
ALUMINIUM
PROFILE
PROTECTION



S08004BW
Black/White Low Tack Tape

Black/White coextruded low tack protection tape with a natural rubber adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many more.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black/White	80	10-1500mm	100, 250, 500m



S08004B
Black Low Tack Tape

Black coextruded low tack protection tape with a rubber adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many more. S08004B has a high UV resistance and is suitable for up to 6 months of outdoor exposure.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black	80	10-1500mm	100, 250, 500m



S08005BW
Black/White Low Tack Tape

Black/White coextruded low tack protection tape with a higher tack rubber adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many more.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black/White	80	10-1200mm	100, 250, 500m



S08004BW-N
Black/White Low Tack Tape

Black/White coextruded low tack protection tape with a higher tack rubber adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many more.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black/White	80	10-1200mm	100, 250, 500m



S10004B
Black Low Tack Tape

Black coextruded low tack protection tape with a rubber adhesive system. Ideal for the protection of many surfaces including powder-coated aluminium, stainless steel, sheet metal, PVC and many more. S10004B has a high UV resistance and is suitable for up to 6 months of outdoor exposure.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black	100	10-1500mm	100, 250, 500m



S10004BW
Black/White Low Tack Tape

Black/White coextruded low tack protection tape with a higher natural rubber adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many more.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black/White	100	10-1500mm	100, 250, 500m



S1150BB
Black PVC Low Tack Tape

Black coextruded low tack protection tape with a natural rubber adhesive system. Ideal for the protection of many surfaces including, powder-coated aluminium, stainless steel, sheet metal, PVC and many more.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black	115	7-1250mm	66m



S05502BW
Black/White Low Tack Tape

Black/White coextruded low tack protection tape with a natural rubber adhesive system. Ideal for the protection of many surfaces including, powder-coated aluminium, stainless steel, sheet metal, PVC and many more.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black/White	55	10-1500mm	100, 250, 500m



S04003TR
Clear Protection Tape

Clear low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, sheet metal, PVC and many other medium to higher gloss surfaces.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Clear	40	10-1200mm	100, 250, 500, 1000m



S05000CPT
Clear Protection Tape (for textured finish)

Clear low tack protection film with a solvent-based acrylic adhesive system. Ideal for the protection of highly structured paint surfaces, including granite or give textured paint finishes.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Clear	50	10-1200mm	100, 250, 500m



S070012W
White Low Tack Tape (for textured finish)

White low tack polypropylene UV stabilised protection film with a natural rubber adhesive system. Ideal for the protection of highly structured paint surfaces, including granite or give textured paint finishes. S070012W has a high UV resistance and is suitable for up to 6 months of outdoor exposure.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
White	70	10-1200mm	100, 250, 500m



S04003BL
Blue Protection Tape

Blue low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, sheet metal, PVC and many other medium to higher gloss surfaces.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Blue	40	10-1200mm	100, 250, 500, 1000m



S05003BL
Blue Protection Tape

Blue low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many other medium to high gloss surfaces.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Blue	50	10-1200mm	100, 250, 500, 1000m

For more information about our product range, or for a FREE sample pack, call our team now. See back cover for contact details

FINALLY! PRINTED PROTECTION TAPE THAT'S WITHIN EVERYONE'S REACH

BRAND NEW!
10,000 metre²
MINIMUM
ORDER QUANTITY ON
PRINTED PROTECTION TAPE



Our Custom Printed Protection Tape is the perfect solution to advertise your company whilst protecting your finished goods in storage or transit.



CORTEX[®]

Ultimate surface protection

The Cortex Custom Printed Protection Tape is a Black/White coextruded low tack protection tape with a natural rubber adhesive system, ideal for the protection of aluminium profiles. If you're already purchasing the Speedster Taping System, we can get your Speedster Tape custom printed too!

Custom Printed Low Tack Protection Tape

The ultimate brand exposure is now within your grasp with our FREE artwork visual service for your printed tape.

- » Maximum brand exposure for your company
- » Can be cut to any width from 10mm to 1,500mm
- » Also available for Speedster Tape when you purchase the Speedster Taping System
- » Available now exclusively from Obex
- » Up to 4 Colour Printing
- » Suitable for many surfaces

CODE	MICRON	WIDTHS	UV RESISTANCE	TOTAL M ² FOR ORDER	ROLL LENGTH
0254	80	10-1500mm	12 months	50,000	100, 250, 500m
0249	80	10-1500mm	6 months	10,000	100, 250, 500m

To request your FREE artwork visuals, or for more information on the Custom Printed Protection Tape, call our team now. See back cover for contact details




CORTEX®
PVC PROFILE
PROTECTION



S04001TR
Clear Protection Tape

Clear low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including high energy PVC surfaces.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Clear	40	10-1200mm	100, 250, 500, 1000m



S04002BL
Blue Protection Tape

Blue low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including smooth PVC extrusions.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Blue	40	10-1200mm	100, 250, 500, 1000m



S04002GR
Green Protection Tape

Green low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including smooth PVC extrusions.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Green	40	10-1200mm	100, 250, 500, 1000m



S04002TR
Clear Protection Tape

Clear low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including smooth PVC extrusions.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Clear	40	10-1200mm	100, 250, 500, 1000m



S05502BW
Black/White Low Tack Tape

Black/White coextruded low tack protection tape with a natural rubber adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many more. S05502BW has a high UV resistance and is suitable for up to 6 months of outdoor exposure.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black/White	55	10-1500mm	100, 250, 500, 1000m



S08004BW
Black/White Low Tack Tape

Black/White coextruded low tack protection tape with a natural rubber adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many more. S08004BW has a high UV resistance and is suitable for up to 6 months of outdoor exposure.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black/White	80	10-1500mm	100, 250, 500m

CORTEX®
GLASS
PROTECTION

GET ON-SITE
BRAND
AWARENESS

Custom Printed Low Tack Protection Film

Clear low tack polyethylene protection film with a solvent-based acrylic adhesive system. Ideal for the protection of many smooth surfaces including glass and double-glazed units. S05002TR has a high UV resistance and is suitable for up to 6 months of outdoor exposure.

- » FREE artwork visuals service for your printed film
- » Advertise your company onsite with custom print/project specific prints available
- » Up to 4 colour printing and various tinted film colour options
- » 6 months of UV resistance
- » Supplied in 600mm and 1200mm widths
- » Other slit sizes available upon enquiry



6 MONTHS OF
UV RESISTANCE



AVAILABLE IN
600MM AND
1200MM SIZES



6 MONTHS OF
OUTDOOR
RESISTANCE

CODE	MICRON	WIDTHS	ROLL LENGTH
S05002TR Printed Protection Film	50	600, 1200mm (Other slit sizes available on enquiry)	100m



S05002TR
Clear Protection Film
(6 Months Outdoor)

Clear low tack polyethylene protection film with a solvent-based acrylic adhesive system. Ideal for the protection of many smooth surfaces including glass and double-glazed units. S05002TR has a high UV resistance and is suitable for up to 6 months of outdoor exposure.


DESCRIPTION	MICRON	WIDTHS	ROLL LENGTH
Clear Film	50	10-1200mm	100, 250, 500, 1000m



S04002TR
Clear Protection Film

Clear low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many smooth surfaces, including glass.

DESCRIPTION	MICRON	WIDTHS	ROLL LENGTH
Clear Film	40	10-1200mm	100, 250, 500, 1000m



S04002BL
Blue Protection Film

Blue low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including glass.

DESCRIPTION	MICRON	WIDTHS	ROLL LENGTH
Blue Film	40	10-1200mm	100, 250, 500, 1000m



S04000TRS
Translucent Protection Film
(6 Months Outdoor)

Translucent low tack polyethylene protection film with a solvent-based acrylic adhesive system. Ideal for the protection of many smooth surfaces, including glass and double-glazed units. S04000TRS has a high UV resistance and is suitable for up to 6 months of outdoor exposure.

DESCRIPTION	MICRON	WIDTHS	ROLL LENGTH
Translucent Film	40	10-1200mm	100, 250, 500, 1000m


CORTEX®
FLOOR
PROTECTION



Cortex Fluted Protection Board

The Cortex Fluted Polypropylene Board is suitable for multi-surface impact protection and is commonly used on floors and surfaces. It can also be used for other applications, such as windows and walls. It is an extremely well-established product which is used in many protection applications across construction applications.

DESCRIPTION	SIZE
Fluted Protection Board System	2.4m x 1.2m



**S05000MS
Blue Carpet Protection Film**

Blue hard floor protection film has a medium level of acrylic adhesive coating applied to a 50-micron polyethylene carrier. Hard floor protection film is designed to protect surfaces against dust, dirt, paint and general light debris in medium traffic conditions.

DESCRIPTION	MICRON	WIDTHS	ROLL LENGTH
Blue Carpet Film	50	600, 1200mm	100, 250, 500, 1000m



**S05000CPT
Clear Carpet Protection Film**

Carpet protection film has a high level of water-based acrylic adhesive coating applied to a 60-micron co-extruded polyethylene carrier. Carpet protection film is designed to protect carpets against dust, dirt, paint and general light debris in medium traffic conditions.

DESCRIPTION	MICRON	WIDTHS	ROLL LENGTH
Clear Carpet Film	50	600, 1200mm	100, 250, 500, 1000m





**S06000CPT & S01000CPT
Clear Carpet Protection Film**

Carpet protection film has a high level of water-based acrylic adhesive coating applied to a 100-micron co-extruded polyethylene carrier. Carpet protection film is designed to protect carpets against dust, dirt, paint and general light debris in medium traffic conditions.

DESCRIPTION	MICRON	WIDTHS	ROLL LENGTH
Clear Carpet Film	60	600, 1200mm	100, 250, 500, 1000m
Clear Carpet Film	100	600, 1200mm	100, 250, 500, 1000m

CORTEX®
SHEET METAL
PROTECTION



S05502BW
Black/White Low Tack Tape

Black/White coextruded low tack protection tape with a natural rubber adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many more. S05502BW has a high UV resistance and is suitable for up to 6 months of outdoor exposure.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black/White	55	10-1500mm	100, 250, 500m



S08004B
Black Low Tack Tape

Black coextruded low tack protection tape with a natural rubber adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many more. S08004B has a high UV resistance and is suitable for up to 6 months of outdoor exposure.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black	80	10-1500mm	100, 250, 500m



S08004BW
Black/White Low Tack Tape

Black/White coextruded low tack protection tape with a natural rubber adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many more. S08004BW & S08004BW-N have high UV resistance and are suitable for up to 6 months of outdoor exposure.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black/White	80	10-1500mm	100, 250, 500m



S08004BW-N
Black/White Low Tack Tape

Black/White coextruded low tack protection tape with a natural rubber adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, stainless steel, sheet metal, PVC and many more. S08004BW & S08004BW-N have high UV resistance and are suitable for up to 6 months of outdoor exposure.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Black/White	80	10-1500mm	100, 250, 500m



S04002BL
Blue Protection Tape

Blue low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, sheet metal, PVC and many other medium gloss surfaces.


COLOUR	MICRON	WIDTHS	ROLL LENGTH
Blue	40	10-1200mm	100, 250, 500, 1000m



S04002TR
Clear Protection Tape

Clear low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, sheet metal, PVC and many other medium to higher gloss surfaces.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Clear	40	10-1200mm	100, 250, 500, 1000m



S05003BL
Blue Protection Tape

Blue low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, sheet metal, PVC and many other medium gloss surfaces.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Blue	50	10-1200mm	100, 250, 500, 1000m



S04003TR
Clear Protection Tape

Clear low tack polyethylene protection film with a water-based acrylic adhesive system. Ideal for the protection of many surfaces, including powder-coated aluminium, sheet metal, PVC and many other medium gloss surfaces.

COLOUR	MICRON	WIDTHS	ROLL LENGTH
Clear	40	10-1200mm	100, 250, 500, 1000m

OTHER PRODUCTS



Cortex Expanding Foam Tape

CORTEX®
Ultimate surface protection

COMPATIBLE WITH ALL SEALING MATERIALS



Cortex Expanding Foam Tape is a pre-compressed sealant tape made of impregnated permanently elastic fine cell soft polyurethane foam, which expands slowly and evenly to provide a seal against wind and driving rain. This product can bridge extreme joint tolerances, maintaining a seal against driving rain (600PA) when compressed to at least 33%. It is compatible with all current building and sealing materials and is paintable.

- » Manufactured to ISO 9001
- » Approved to DIN 18542 and DIN 4102
- » Airtight, watertight, thermal insulation, acoustic insulation
- » For timber frame builds, seals for windows and doors, expansion joints, roofing, conservatories, ductwork or anything requiring a thermal and acoustic seal

INSTALLATION

- » Measure the gap to be sealed and choose appropriate thickness of tape
- » Remove and discard the first 5cm of the coil
- » Measure and cut to size, ensuring corners are sealed
- » Apply in sequence: bottom, sides then top
- » Ensure the tape is applied evenly, do not stretch or twist



WATERTIGHT



AIRTIGHT



THERMAL INSULATION




ACOUSTIC INSULATION

Cortex Expanding Foam Tape product size chart

SIZE	GAP TO BE FILLED	TAPE WIDTH	ROLL LENGTH	EXPANDED THICKNESS
10/1-3 x 12.5	1-3mm	10mm	12.5m	9mm
15/1-3 x 12.5	1-3mm	15mm	12.5m	9mm
10/2-5 x 10	2-5mm	10mm	10m	13mm
15/2-5 x 10	2-5mm	15mm	10m	13mm
20/2-5 x 10	2-5mm	15mm	10m	13mm
10/3-7 x 8	3-7mm	10mm	8m	17mm
15/3-7 x 8	3-7mm	15mm	8m	17mm
20/3-7 x 8	3-7mm	20mm	8m	17mm
25/3-7 x 8	3-7mm	25mm	8m	17mm
15/5-10 x 5.6	5-10mm	15mm	5.6m	26mm
20/5-10 x 5.6	5-10mm	20mm	5.6m	26mm
25/5-10 x 5.6	5-10mm	25mm	5.6m	26mm
15/7-12 x 4.3	7-12mm	15mm	4.3m	35mm
20/7-12 x 4.3	7-12mm	20mm	4.3m	35mm
25/7-12 x 4.3	7-12mm	25mm	4.3m	35mm
20/8-15 x 3.3	8-15mm	20mm	3.3m	44mm
25/8-15 x 3.3	8-15mm	25mm	3.3m	44mm
30/8-15 x 3.3	8-15mm	30mm	3.3m	44mm
20/10-18 x 3	10-18mm	20mm	3m	53mm
25/10-18 x 3	10-18mm	25mm	3m	53mm
30/10-18 x 3	10-18mm	30mm	3m	53mm
30/13-24 x 2	13-24mm	30mm	2m	72mm
40/13-24 x 2	13-24mm	40mm	2m	72mm
40/24-40 x 2	24-40mm	40mm	2m	123mm

For more information about our product range, or for a FREE sample pack, call our team now. See back cover for contact details





Cosmofen Duo 2 Part Aluminium Mitre Joint Adhesive

Cosmofen Duo is a high-strength 2 part PUR-adhesive for the bonding of aluminium corner angles during manufacturing of windows and doors. The adhesive also has excellent bonding strength on other construction materials including PVC, HPL and has good weather resistance. Each cartridge comes with 1 mixer nozzle. Extra nozzles are available from stock.

SIZE	BOX QUANTITY
550g	10



Cosmopur 819 1 Part Aluminium Mitre Joint Adhesive

Cosmopur 819 is a 1 part PUR-adhesive for the bonding of aluminium corner angles during manufacture of windows and doors. The adhesive also has excellent bonding strength on other construction materials including wood, ceramics, metals and duro and thermo-plastics providing the surfaces are prepared accordingly.

SIZE	BOX QUANTITY
310ml	20



Foiled Backed Butyl Tape

Foil-Backed Butyl Tape adheres to a wide range of substrates and is tearproof. Used for sealing behind pressure plates on glass assemblies and glass roofs, canopies, curtain walls, doors or window frames.

SIZE	THICKNESS	LENGTH
45mm	1.2mm	25m
50mm	1.2mm	10m



Joint Backing Rod

SIZE
10mmx1150m
12mmx750m
15mmx550m
19mmx350m
25mmx250m
30mmx160m



Mesh Handle Protectors

Effectively protect your handles with this tough handle mesh. The mesh stretches to several times its original size and 'hugs' to the shape of the handle.

SIZE
150mm – 100/Box
200mm – 100/Box



Pallet Wrap

Tough, clear wrapping film ideal for securing items to A frames and stillages.

SIZE	BOX QUANTITY
400mm x 300m	6



Handywrap

Tough clear wrapping film ideal for bundling accessories and trims to window frames. Can also be used for protecting smaller components and awkwardly shaped items. Each box has a free handle dispenser.

SIZE	BOX QUANTITY
100mm x 150m	40



Horseshoe Packers

For easy levelling of battens, door & window frames and stud work. Our horseshoe packers have a unique 'comb' feature which grips the fixing. Colour coded for easy identification.

SIZE
55mm x 43mm x 1, 2, 3, 4, 5, 6 & 10mm
101mm x 43mm x 1, 2, 3, 4, 5, 6 & 10mm



Glazing Packers

Easy to use, readily available colour coded shims for easy identification.


SIZE
24mm x 100mm x 1, 2, 3, 4, 5 & 6mm
28mm x 100mm x 1, 2, 3, 4, 5 & 6mm
30mm x 100mm x 1, 2, 3, 4, 5 & 6mm
23mm x 100mm x 1, 2, 3, 4, 5 & 6mm



U-Profile Protection

Specially designed to give edge protection on products such as doors, windows, glass, curtain wall mullions and transoms and handrails. U-Profile comes in an extensive range of sizes and profiles to suit your application.

SIZE	LENGTH	BOX QTY
15mm	2m	250
25mm	2m	140
35mm	2m	90
45mm	2m	80
60mm	2m	50
80mm	2m	40
100mm	2m	32



VHPB Tape

VHPB tape is a glass clear foamed acrylic tape with a high bond adhesion. It is suitable for the permanent bonding of many substrates including glass, plastics, aluminium and composites. Available in any width.

THICKNESSES AVAILABLE
0.25mm, 0.5mm, 1.0mm, 1.5mm, 2.0mm



Waterproof Cloth Tape

High adhesion Cloth Tape which will bond to almost any surface. Commonly used for taping around double-glazed units. Colours: Black, Silver, White, Blue, Green, Orange, Red & Yellow.

SIZE
Available in any width up to 1200mm

FIRE RATED
SEALING SYSTEM

EPDM
MEMBRANE
SYSTEM

SPEEDSTER

LIQUID PEELABLE
PROTECTION

ULTIMATE
SURFACE
PROTECTION

OTHER
PRODUCTS

OBEX PROTECTION LTD

Nunnery Park, Nunnery Way,
Worcester, WR4 0SX, UK
Call: +44 (0) 1905 337800
Email: sales@obexuk.com
Visit: www.obexuk.com

OBEX GROUP PTY LTD

Unit 8-13 Lyell St, Mittagong, NSW 2575
PO Box 2021, Bowral, NSW 2576, Australia
Call: +61 2 4869 1932
Email: sales@obexau.com
Visit: www.obexau.com

OBEX PROTECTION LTD

37 Rue Ambroise Paré
F-83100, Toulon, France
Call: +33 494 658 614
Email: ventes@obexeu.com
Visit: www.obexeu.com



OBEX

PROTECTING YOUR SUCCESS